

ECONOMY AND PRODUCTIVITY THAT ARE OFF THE CHARTS.



With a Replaceable Ink Pack System (RIPS), the Epson WorkForce Pro WF-C869R is designed to fit all your business printing needs. Save printing costs and minimise downtime with high-capacity ink packs capable of printing up to 86,000 pages in black or 84,000 pages in colour. Achieve high-quality and high-speed printing with PrecisionCore™ printhead, with draft print speeds of up to 35 ppm and resolutions of up to 4,800 x 1,200 dpi.

- Up to 86,000 Pages* Ink Packs
- Draft Print Speed
- Duplex Printing
- Print Up to A3+
- Epson Connect
- Ethernet
- Wi-Fi Direct



With option of large or standard ink packs.



High Quality and Productivity

Print up to 4,800 x 1,200 dpi and enjoy unparalleled productivity with no warm-up time and fast first page out time of less than 6 seconds.

Versatile Paper Handling

Expand paper handling capabilities with optional paper cassettes and a rear tray for special media.

Exceptional Low Running Costs

Maximise cost-savings with Epson's extremely high-yield replaceable ink packs, capable of printing up to 86,000 pages in black or 84,000 pages in colour.



PRECISIONCORE

*Up to 86,000 pages in black or 84,000 pages in colour.

Equipped with high-yield replaceable ink packs and powered by PrecisionCore™ technology, the WF-C869R has the speed and performance required for office, commercial and industrial printing. Coupled with a package of security, connectivity and functional features, you'll be set to keep your business' productivity at its peak.

Enjoy default print speeds of up to 24 ipm and draft print speeds of up to 35 ppm for both black and colour prints with PrecisionCore™ printheads. This revolutionary technology delivers professional output quality at blazing speeds.



PRECISIONCORE

revolutionary technology delivers professional output quality at blazing speeds.

Achieve excellent print resolution of 600 x 600 dpi for standard prints and up to 4,800 x 1,200

dpi for prints with special media, with no warm-up time and a fast first page-out time of less than 6 seconds.

Exceptionally Low Running Costs



Available in standard or large yield ink packs.

With Epson's Replaceable Ink Pack System (RIPS), exorbitant printing costs are a thing of the past. The revolutionary RIPS features four ink supply units and a waste ink box, giving you uninterrupted printing of up to 86,000 pages in black or up to 84,000 pages in colour. With such page yields, you enjoy maximum cost savings and minimum running costs.

Versatile Paper Handling

The WF-C869R can be upgraded with additional paper cassettes to support up to 1,835 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media. What's more, a cabinet can be added for convenient storage of additional paper and spare consumables.



Consumables

| Consumables | Page Yield* | Order Code |
|--|----------------|------------|
| Large Black Ink Pack | 86,000 pages | C13T974100 |
| Large Cyan Ink Pack | } 84,000 pages | C13T974200 |
| Large Magenta Ink Pack | | C13T974300 |
| Large Yellow Ink Pack | | C13T974400 |
| Standard Black Ink Pack | | C13T973100 |
| Standard Cyan Ink Pack | } 22,000 pages | C13T973200 |
| Standard Magenta Ink Pack | | C13T973300 |
| Standard Yellow Ink Pack | | C13T973400 |
| Maintenance Roller (1 st Paper Cassette) | 200,000 pages | C13S210048 |
| Maintenance Roller (2 nd -4 th Paper Cassette) | 200,000 pages | C13S210049 |
| Maintenance Box | | C13T671400 |

Options

| Options | Order Code |
|----------------------------------|------------|
| 500-sheets Option Paper Cassette | C12C932611 |
| Option Cabinet | C12C932891 |
| Authentication Device Table | C12C932921 |

* In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and printhead maintenance. All inks are used for both black and colour printing.

Connectivity Features

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct, NFC and USB 3.0, the WF-C869R is perfect for office environment. Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time. And with EpsonNet Config, you can easily change your network settings remotely.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- **Epson iPrint** – Print from and scan directly to your smart device or online cloud storage services.
- **Epson Email Print** – Print to any Email Print-enabled Epson printer from any device or PC with email access.
- **Remote Print Driver** – Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- **Scan to Cloud** – Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- **Apple® AirPrint™**
- **Google Cloud Print™**
- **Mopria™ Print Service**

For more information on Epson Connect, please visit <http://www.epson.com.au/connect>

Convenient Ease of Use



Automatic Duplex Printing

Supports automatic duplex printing of up to 16 ipm for A4 and 11 ipm for A3, reducing paper wastage.



5" LCD Screen

Experience easy set-up and PC-less operation with a 5" colour touch screen.



USB Host Function

Comes equipped with a USB port so you can print, scan and save faxes directly to your memory devices.



One-pass Duplex Scanner

Scan with impressive speed in both simplex and duplex. The dual CIS technology allows duplex scanning in a single pass, resulting in significant improvements in office productivity.



Optional Authentication Device Table

An optional Authentication Device Table for placement of the card reader* allows convenient tapping of cards.

*Card Reader not included.

NFC Enabled*

Near Field Communication (NFC) enables users to conveniently print or scan by touching a compatible device to the printer. The WorkForce WF-C869R supports the following NFC functions:

- **Tap to Install:** If Epson iPrint is not installed in your Android Device, touching the device to the printer opens the Epson iPrint installation page in Google Play Store.
- **Touch to Launch:** If Epson iPrint is already installed in your Android device, touching the device to the printer launches it.
- **Touch to Print / Scan:** Select the function within Epson iPrint on your Android device, then touch the printer to print the selected photo or scan a document placed on the scanner.

*For compatible Android™ devices only.

Robust Security Features

Limited Access Function

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Efficient Print Job Management

With our convenient and accessible print management features, printing across your work groups has never been easier.

Print Job Arranger Lite

This printing tool allows users to merge multiple print jobs and change print settings such as double-side printing, orientation, colour mode and multi-page layout up to 4-up. Users can also rearrange the page order of print jobs between applications.

Print Job Interruption

With this feature, users can interrupt the print queue when there is an urgent print job. Interrupted print jobs are paused and can be resumed later once the urgent tasks are completed. In addition, users can cancel the print job from the control panel even when the printer is in the process of printing.

Page Recovery

Minimise downtime and missing pages when a printer error occurs. The printer will automatically restart the printing from the last printed sheet once the error has been rectified.

Optional Software

Epson Device Admin

With Epson Device Admin, you can now manage, monitor and configure your Epson device fleet easily. It is compatible with a large range of networked printers and scanners, and all information can be viewed via one smart, intuitive interface.

Epson Device Admin Functions:

- Manage Epson devices in groups.
- Receive automatic alerts for quick response when the device runs out of consumables or indicates an error.
- Generate reports automatically for cost-savings activities or implementing managed print services.
- Configure multiple devices efficiently with templates to simplify large deployments.

Epson Print Admin

Epson Print Admin provides authentication function tool that helps to reduce cost through user restriction, cost-setting and rule-based printing. This software will increase security through authentication of each user, limit functions for each user, setting rules for printing and generating usage reports for auditing.

Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Limited functionality for Mac version of Document Capture software.

Document Capture Pro Server**

Document Capture Pro Server helps to centralise your scanning and manage your fleet of scanners without the need to install drivers on individual computers.

**Only for Windows Server OS.

Remarkably Energy Saving



Epson WorkForce WF-C869R is Energy Star® Compliant, giving you significant energy savings. Unlike conventional laser copiers/printers, it uses no heat and is more environmentally friendly.

SPECIFICATIONS

WORKFORCE PRO WF-C869R

| MODEL NUMBER | WF-C869R | | | | | | | | | | | |
|-------------------------------------|--|------------|--|---------|-------------|------------|---------|--------|--------|---------|--------|--------|
| Printing | PrecisionCore™ Printhead | | | | | | | | | | | |
| Print Method | 400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow) | | | | | | | | | | | |
| Nozzle Configuration | Bi-directional printing, Uni-directional printing | | | | | | | | | | | |
| Print Direction | 4,800 x 1,200 dpi (with Variable-Sized Droplet Technology) | | | | | | | | | | | |
| Maximum Resolution | 4.6 pl | | | | | | | | | | | |
| Minimum Ink Droplet Volume | Approx. 35 ppm / 35 ppm (Black*1 / Colour*2) | | | | | | | | | | | |
| Print Speed*1 | Approx. 24 ipm / 24 ipm (Black / Colour) | | | | | | | | | | | |
| Max Draft Text - Memo (A4) | Approx. 16 ipm / 16 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 24734, A4, Simplex | Approx. 13 ipm / 13 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 24734.2, A3, Simplex | Approx. 11 ipm / 11 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 24734.2, A3, Duplex | Approx. 6.0 sec / 6.0 sec (Black / Colour) | | | | | | | | | | | |
| First Page Out Time | ESC/P-R | | | | | | | | | | | |
| Printer Language | PCL5c / PCL6 / PostScript3 / PDF (ver.1.7) | | | | | | | | | | | |
| Printer Control Language Emulations | Yes | | | | | | | | | | | |
| Maximum Monthly Duty Cycle | 75,000 pages per month | | | | | | | | | | | |
| Automatic 2-sided printing | Yes | | | | | | | | | | | |
| Copying | | | | | | | | | | | | |
| Copy Speed | Approx. 22 ipm / 21 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 29183, A4, Simplex (Flatbed) | Approx. 22 ipm / 21 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 24735, A4, Simplex (ADF) | Approx. 15 ipm / 15 ipm (Black / Colour) | | | | | | | | | | | |
| ISO 24735, A4, Duplex (ADF) | 999 copies | | | | | | | | | | | |
| Maximum Copies from Standalone | 600 x 600 dpi | | | | | | | | | | | |
| Max Copy Resolution | 25 - 400%, Auto Fit Function | | | | | | | | | | | |
| Reduction/Enlargement | A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, 13x18cm, 16:9, 10x15cm, #10, DL, C4, C6 | | | | | | | | | | | |
| Copy Paper Size (Flatbed) | A3 | | | | | | | | | | | |
| Maximum Copy Size | | | | | | | | | | | | |
| Scanning | | | | | | | | | | | | |
| Scanner Type | Flatbed Colour Image Scanner | | | | | | | | | | | |
| Scanner Sensor Type | CIS | | | | | | | | | | | |
| Optical Resolution | 1,200 x 2,400 dpi | | | | | | | | | | | |
| Maximum Scan Area | 297.18 x 431.8 mm (11.7 x 17") | | | | | | | | | | | |
| Scanner Bit Depth | 30-bit input, 24-bit output | | | | | | | | | | | |
| Colour | 10-bit input, 8-bit output | | | | | | | | | | | |
| Grayscale | 10-bit input, 1-bit output | | | | | | | | | | | |
| Black & white | Scan to Memory Device, Scan to Network Folder/FTP, Scan to Email, Scan to Computer (Document Capture Pro), Scan to Computer (WSD) | | | | | | | | | | | |
| Scan Features | <table border="1"> <thead> <tr> <th>Flatbed</th> <th>ADF Simplex</th> <th>ADF Duplex</th> </tr> </thead> <tbody> <tr> <td>4.0 sec</td> <td>25 ppm</td> <td>45 ipm</td> </tr> <tr> <td>5.0 sec</td> <td>25 ppm</td> <td>45 ipm</td> </tr> </tbody> </table> | | | Flatbed | ADF Simplex | ADF Duplex | 4.0 sec | 25 ppm | 45 ipm | 5.0 sec | 25 ppm | 45 ipm |
| Flatbed | ADF Simplex | ADF Duplex | | | | | | | | | | |
| 4.0 sec | 25 ppm | 45 ipm | | | | | | | | | | |
| 5.0 sec | 25 ppm | 45 ipm | | | | | | | | | | |
| Scan Speed (A4 Landscape) | | | | | | | | | | | | |
| Monochrome | 200 dpi | | | | | | | | | | | |
| Colour | 200 dpi | | | | | | | | | | | |
| ADF Function | | | | | | | | | | | | |
| Support Paper Thickness | 52-128 g/m ² | | | | | | | | | | | |
| Paper Capacity | 50 pages (80 g/m ²) | | | | | | | | | | | |
| Automatic 2-sided Scan / Copy / Fax | Yes | | | | | | | | | | | |
| Fax Function | | | | | | | | | | | | |
| Type of Fax | Walk-up Black-and-white and Colour Fax Capability | | | | | | | | | | | |
| Receive Memory / Page Memory | 6 MB, Page Memory Up to 550 pages (ITU-T No.1 chart) | | | | | | | | | | | |
| Error Correction Mode | ITU Group3 Fax with Error Correction Mode | | | | | | | | | | | |
| Fax Speed (Data Transfer Rate) | Up to 33.6 kbps, Approx. 3 sec/page | | | | | | | | | | | |
| Fax Resolution | Standard: 8 pels/mm x 3.85 lines/mm, Fine: 8 pels/mm x 7.7 lines/mm, Super Fine: 8 pels/mm x 15.4 lines/mm, Ultra Fine: 16 pels/mm x 15.4 lines/mm, Photo: 8 pels/mm x 7.7 lines/mm | | | | | | | | | | | |
| Black & White | Fine: 200 x 200 dpi, Photo: 200 x 200 dpi | | | | | | | | | | | |
| Colour | | | | | | | | | | | | |
| Transmission Paper Size | A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17" | | | | | | | | | | | |
| Flatbed | A5, B5, Letter, A4, Legal, B4, A3, 11 x 17" | | | | | | | | | | | |
| ADF | A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17" | | | | | | | | | | | |
| Receiving Paper Size | Up to 2,000 numbers, 1,999 groups | | | | | | | | | | | |
| Speed Dial / Group Dial | PC Fax (Transmission/Receive), Automatic Redial, Address Book, Delay Send, Transmit Reservation (200 cases), Broadcast Fax (Mono Only) | | | | | | | | | | | |
| Fax Features | | | | | | | | | | | | |
| Paper Handling | | | | | | | | | | | | |
| Paper Feed Method | Friction Feed | | | | | | | | | | | |
| Number of Paper Trays | 3 (Front 2, Rear 1) | | | | | | | | | | | |
| Paper Hold Capacity | Up to 835 sheets (80 g/m ²) (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 85 sheets) | | | | | | | | | | | |
| Input Capacity | Up to 1,835 sheets (80 g/m ²) | | | | | | | | | | | |
| Maximum Input Capacity | (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 85 sheets + 2 x Optional Cassettes: 500 x 2 sheets) | | | | | | | | | | | |
| Output Capacity | 250 sheets | | | | | | | | | | | |
| Paper Size | A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, Letter, Envelopes: #10, DL, C6, C4-Fi Direct, NFC | | | | | | | | | | | |
| Maximum Paper Size | A3+, 329 x 1200 mm (12.95 x 47.24") | | | | | | | | | | | |
| Printer Interface | | | | | | | | | | | | |
| USB | Super-speed USB 3.0 | | | | | | | | | | | |
| Network | Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), W | | | | | | | | | | | |
| Network Protocol | TCP/IPv4, TCP/IPv6 | | | | | | | | | | | |
| Network Printing Protocol | LPD, IPP, PORT9100, WSD | | | | | | | | | | | |
| Network Management protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD | | | | | | | | | | | |
| Security Features | Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode | | | | | | | | | | | |
| USB Host Function | | | | | | | | | | | | |
| Type of Direct Printing | Memory Devices | | | | | | | | | | | |
| USB Host | USB Host (Scan to Memory Device / Storage Function) | | | | | | | | | | | |
| Direct Print Paper Size | 9 x 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17" | | | | | | | | | | | |
| Mobile and Remote Printing | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service | | | | | | | | | | | |
| Control Panel | | | | | | | | | | | | |
| LCD Screen | 5.0" / 12.7cm TFT Colour LCD | | | | | | | | | | | |
| Printer Software | | | | | | | | | | | | |
| Operating System Compatibility | Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 Only Printing and Scanning Functions are Supported for Windows Server OS Mac OS X 10.6.8 or later | | | | | | | | | | | |
| Electrical Specifications | | | | | | | | | | | | |
| Rated Voltage | 100 - 240 V Universal | | | | | | | | | | | |
| Rated Frequency | 50 - 60 Hz | | | | | | | | | | | |
| Power Consumption | | | | | | | | | | | | |
| Operating | 40 W | | | | | | | | | | | |
| Standby | 20 W | | | | | | | | | | | |
| Sleep | 1.6 W | | | | | | | | | | | |
| Power off | 0.45 W | | | | | | | | | | | |
| Noise Level | | | | | | | | | | | | |
| PC Printing/ Premium Glossy | 5.4 B(A), 38 dB(A) | | | | | | | | | | | |
| Photo Paper Best Photo | | | | | | | | | | | | |
| PC Printing/ Plain Paper Default ? | 6.6 B(A), 49 dB(A) | | | | | | | | | | | |
| Warranty | | | | | | | | | | | | |
| 3YW869R | Additional 2 Year CoverPlus Warranty (Up to 3 years) includes all Parts & labour for WF-C869R & WF-C869RTC | | | | | | | | | | | |
| 5YW869R | Additional 4 Year CoverPlus Warranty (Up to 5 years) includes all Parts & labour for WF-C869R & WF-R869RTC | | | | | | | | | | | |

Dimensions & Weight


WorkForce WF-C869R
Weight: 64.1kg (141.3lb)



WorkForce WF-C869R with 2 x Optional Paper Cassettes & Cabinet
Weight: 111.5kg (245.8lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



*2 Default mode in accordance with ISO7779 for MFPs.



Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.